

KZN DOT: Private Bag X02, Merebank 4159

Sialkot Crescent, Merebank 4056

Phone Number: 031 469 8900, Email: Mpume. Damane @kzntransport.gov.za

DIRECTORATE:

Transport Infrastructure & District Services: Ethekwini District Office

ADDENDUM NO. 1:

CONTRACT NO.: ZNB02289/00000/00/MET/INF/24/T

ADDENDUM No. 1 FOR: THE PROVISION OF ROUTINE AND SAFETY MAINTENANCE ON VARIOUS ROADS WITHIN UMBUMBULU ZONE IN THE ETHEKWINI METRO, DURBAN REGION, FOR A PERIOD OF 36 MONTHS

Date Issued: _____

This Addendum No. 1 comprises a total of ^{THREE} ~~FIVE~~ **3** ~~PAGES~~, including this page.

The amendments required to the tender document are as follows:

Amendment No.	Amendment Required
1	Replace page T36 with new page T36A in Tender Section (T- Section) of tender document.
2	Replace page C74 with new page C74A in Contract Section (C- Section) of tender document

Non-acknowledgment of this addendum will lead to disqualification.

The acknowledgment of this addendum must only be submitted with the bid document.

Should you have any queries with regards to the above, please contact Nad Govender or Noma Chili-Hlatshwayo .

Yours faithfully

2.2.11 (Date)

**Mr G Perumal
BSC Chairperson**

I/We acknowledge receipt of this Addendum No. 01 and have made the required alterations to our tender document.

BIDDER:.....

NAME OF SIGNATORY:.....

DATE:.....

H2. KEY PERSONNEL – LABOUR ENHANCED ACTIVITIES

Contractors shall employ in labour-enhanced works only those supervisory and management staff that have completed the required Skills Programme in terms of Appendix C of the "Guidelines for the implementation of labour-enhanced infrastructure projects under the Expanded Public Works Programme (EPWP) Third Edition 2015":

- Foremen / Supervisors at NQF level 4 "National Certificate: Supervision of Civil Engineering Construction Processes",
- Site Agent / Construction Manager at NQF level 5 "Manage Labour-Intensive Construction Processes" or equivalent Quality Council for Trades and Occupations (QCTO) qualifications at NQF level 5 or 7.

Tenderers' attention is drawn to the required minimum supervisor to worker ratio for this project stated in clause E2.3 of Part E of the Particular Specifications.

The Tenderer must insert in the spaces provided below the relevant details of the personnel to be employed in the construction of the Works possessing the required qualifications in the supervision or management of LIC projects. A copy of the relevant qualification certificate for each such person shall be attached to the next page below.

DESIGNATION	NAME	NAME OF TRAINING INSTITUTION	QUALIFICATION OBTAINED IN THE SUPERVISION OR MANAGEMENT OF LIC PROJECTS	YEAR QUALIFICATION OBTAINED

Attach additional pages if more space is required

SIGNATURE:

DATE:

(Of person authorised to sign on behalf of the Tenderer)

Failure to list the names, designations, relevant qualification certificates and CV's of the key personnel for Labour Enhanced Activities will result in tender being evaluated as non-responsive

PROVINCE OF KWAZULU-NATAL
DEPARTMENT OF TRANSPORT

THE PROVISION OF ROUTINE AND SAFETY MAINTENANCE ON VARIOUS ROADS WITHIN UMBUMBULU
ZONE IN THE ETHEKWINI METRO, DURBAN REGION, FOR A PERIOD OF 36 MONTHS

SCHEDULE A: ROADWORKS

SUMMARY OF SECTIONS

CHAPTER	DESCRIPTION	FROM PAGE	AMOUNT
C1.2	GENERAL REQUIREMENTS AND PAYMENT	C31	R
C1.3	CONTRACTOR'S SITE ESTABLISHMENT AND GENERAL OBLIGATIONS	C32	R
C1.5	ACCOMMODATION OF TRAFFIC	C34	R
C1.6	CLEARING AND GRUBBING	C35	R0.00
C1.7	LOADING AND HAULING	C36	R
C2.1	GENERAL REQUIREMENTS AND TRENCHING FOR SERVICES	C37	R
C3.1	DRAINS	C40	R
C3.2	CULVERTS	C42	R0.00
C3.3	CONCRETE KERBING AND CHANNELING, ASPHALT BERMS, CHUTES, DOWNPIPES, AS WELL AS CONCRETE, STONE PITCHED AND GABION LININGS FOR OPEN DRAINS	C46	R0.00
C4.1	BORROW MATERIALS	C47	R
C4.4	COMMERCIAL MATERIALS	C48	R
C5.1	ROADBED	C49	R
C5.2	FILL	C50	R
C5.3	ROAD PAVEMENT LAYERS	C51	R
C6.1	PAVER LAID CONCRETE LAYERS	C53	R0.00
C8.1	PRIME COAT	C54	R
C8.8	PATCHING AND EDGE BREAK REPAIR	C58	R
C10.1	GENERAL REQUIREMENTS FOR SURFACE TREATMENTS	C59	R
C11.1	PITCHING, STONEWORK, CAST IN SITU CONCRETE FOR PROTECTION AGAINST EROSION	C60	R
TOTAL CARRIED FORWARD			